

## Monahan Filaments Stock Status - Stock Items

| Item Number          | Item Description                               | Qty On Hand | Qty Allocated | Qty Available |
|----------------------|--|-------------|---------------|---------------|
| <b>70 ARCOLA INV</b> |  |             |               |               |
| <b>500 NYLON 6.0</b> |  |             |               |               |
| 10069520S            | 0060 WYTEX@6 52.00 BLK-502 CR-6.50 A:015       | -           | -             | -             |
|                      | TOTAL NYLON 6.0                                | -           | -             | -             |
|                      | NON NEGATIVE TOTAL                             | -           | -             | -             |
| <b>510 NYLON 6.6</b> |  |             |               |               |
| 12060000S            | 0060 WYTEX@6.6 50.00 NAT-500 LEVEL FDA         | 607.7       | -             | 607.7         |
| 12069383S            | 0060 WYTEX@6.6 52.00 BLK-502 CR-6.50 A:016     | 248.1       | -             | 248.1         |
| 12069384S            | 0060 WYTEX@6.6 52.00 BLK-502 LEVEL             | 161.1       | -             | 161.1         |
| 12080777S            | 0080 WYTEX@6.6 52.00 NATURAL LEVEL             | 557.3       | -             | 557.3         |
| 12080958S            | 0080 WYTEX@6.6 52.00 NATURAL CR-6.50 A:018     | 182.0       | -             | 182.0         |
| 12089050S            | 0080 WYTEX@6.6 50.00 BLK-502 CR-6.50/021       | 95.5        | -             | 95.5          |
| 12089256S            | 0080 WYTEX@6.6 2.00 BLK-502 LEVEL              | 475.4       | -             | 475.4         |
| 12089364S            | ***OBS*** USE ITEM 12089050S                   | -           | -             | -             |
| 12089385S            | 0080 WYTEX@6.6 52.00 BLK-502 LEVEL             | 652.0       | -             | 652.0         |
| 12089417S            | 0080 WYTEX@6.6 2.37 BLK-502 LEVEL              | 302.3       | -             | 302.3         |
| 13100937S            | 0100 WYTEX@6.6 52.00 NATURAL LEVEL FDA         | 560.9       | -             | 560.9         |
| 13109054S            | 0100 WYTEX@6.6 52.00 BLK-502 CR- 6.50 A:022    | 346.7       | 250.0         | 96.7          |
| 13109386S            | 0100 WYTEX@6.6 52.00 BLK-502 CR-6.50 A:017     | -           | -             | -             |
| 13109387S            | 0100 WYTEX@6.6 50.00 BLK-502 LEVEL             | 189.1       | -             | 189.1         |
| 13109743S            | 0100 WYTEX@6.6 2.375 BLK-502 LEVEL             | 292.3       | -             | 292.3         |
| 13120388S            | 0120 WYTEX@6.6 52.00 NAT-519(TR WHITE)CR-6.50  | -           | -             | -             |
| 13120389S            | 0120 WYTEX@6.6 52.00 NAT CR-6.50 A:022 FDA     | 354.3       | -             | 354.3         |
| 13120390S            | 0120 WYTEX@6.6 52.00 NATURAL LEVEL FDA         | 192.5       | -             | 192.5         |
| 13129389S            | 0120 WYTEX@6.6 52.00 BLK-502 CR-6.50 A:022     | 559.9       | -             | 559.9         |
| 13129390S            | 0120 WYTEX@6.6 52.00 BLK-502 LEVEL             | 537.5       | -             | 537.5         |
| 13140555S            | 0140 WYTEX@6.6 52.00 NATURAL LEVEL FDA         | 408.3       | -             | 408.3         |
| 13149391S            | 0140 WYTEX@6.6 52.00 BLK-502 CR-6.50 A:021     | 387.3       | 387.3         | -             |
| 13149392S            | 0140 WYTEX@6.6 52.00 BLK-502 LEVEL             | 429.6       | -             | 429.6         |
| 13160710S            | 0160 WYTEX@6.6 50.00 NATURAL LEVEL FDA         | 72.3        | -             | 72.3          |
| 13169123S            | 0160 WYTEX@6.6 52.00 BLK-502 CR-6.50 A:025     | 201.0       | 100.0         | 101.0         |
| 13169393S            | 0160 WYTEX@6.6 52.00 BLK-502 LEVEL             | 255.4       | -             | 255.4         |
| 13180415S            | 0180 WYTEX@6.6 52.00 NAT-500 LEVEL FDA         | 35.8        | -             | 35.8          |
| 13189394S            | 0180 WYTEX@6.6 52.00 BLK-502 LEVEL             | 373.8       | -             | 373.8         |
| 13200003S            | 0200 WYTEX@6.6 52.00 NATURAL LEVEL FDA         | 615.6       | -             | 615.6         |
| 13209000S            | 0200 WYTEX@6.6 52.00 BLK-8580 LEVEL            | 151.4       | -             | 151.4         |
| 13209395S            | 0200 WYTEX@6.6 52.00 BLK-502 CR-6.50 A:028     | 66.6        | -             | 66.6          |
| 13220396S            | 0220 WYTEX@6.6 52.00 NATURAL CR-6.50 A:034 FDA | 333.5       | -             | 333.5         |
| 13229397S            | 0220 WYTEX@6.6 52.00 BLK-502 CR-6.50 A:034     | 495.0       | -             | 495.0         |
| 13229398S            | 0220 WYTEX@6.6 52.00 BLK-502 LEVEL             | 493.4       | -             | 493.4         |
| 13250713S            | 0250 WYTEX@6.6 4.75 NATURAL LEVEL FDA          | -           | -             | -             |

## Monahan Filaments Stock Status - Stock Items

| Item Number        | Item Description                       | Qty On Hand | Qty Allocated | Qty Available |
|--------------------|--|-------------|---------------|---------------|
| 13259399S          | 0250 WYTEX@6.6 52.00 BLK-502 LEVEL     | 242.9       | -             | 242.9         |
| 13280079S          | 0280 WYTEX@6.6 52.00 NATURAL LEVEL FDA | 284.9       | -             | 284.9         |
| 13289400S          | 0280 WYTEX@6.6 52.00 BLK-502 LEVEL     | 532.7       | -             | 532.7         |
| 13300587S          | 0300 WYTEX@6.6 52.00 NATURAL LEVEL FDA | 358.9       | -             | 358.9         |
| 13360573S          | 0360 WYTEX@6.6 52.00 NATURAL LEVEL FDA | 217.7       | -             | 217.7         |
| 13409581S          | 0400 WYTEX@6.6 50.00 BLK-502 LEVEL     | 337.0       | -             | 337.0         |
| 13479362S          | 0470 WYTEX@6.6 52.00 BLK-8580 LEVEL    | -           | -             | -             |
| 13500555S          | 0500 WYTEX@6.6 52.00 NATURAL LEVEL FDA | 418.8       | -             | 418.8         |
| 13509637S          | 0500 WYTEX@6.6 52.00 BLK-8580 LEVEL    | 139.2       | -             | 139.2         |
| 13600897S          | 0600 WYTEX@6.6 52.00 NATURAL LEVEL FDA | 128.0       | 14.4          | 113.6         |
| TOTAL NYLON 6.6    |  | 13,293.7    | 751.7         | 12,542.0      |
| NON NEGATIVE TOTAL |  | 13,293.7    |               | 12,542.0      |

**520 NYLON 6.12**

|                    |   |         |       |         |
|--------------------|---|---------|-------|---------|
| 14030123S          | 0030 WYTEX@6.12 52.00 NATURAL LEVEL         | -       | -     | -       |
| 14039000S          | 0030 FINELINE@6.12 48.00 BLK-502 LEVEL      | 97.1    | -     | 97.1    |
| 14060000S          | 0060 WYTEX@6.12 50.00 NATURAL LEVEL         | 326.7   | -     | 326.7   |
| 14080401S          | 0080 WYTEX@6.12 52.00 NATURAL LEVEL FDA     | 384.2   | -     | 384.2   |
| 14089402S          | 0080 WYTEX@6.12 52.00 BLK-502 CR-6.50 A:018 | 312.5   | -     | 312.5   |
| 14089403S          | 0080 WYTEX@6.12 52.00 BLK-502 LEVEL         | 490.7   | -     | 490.7   |
| 14109404S          | 0100 WYTEX@6.12 52.00 BLK-502 CR-6.50 A:020 | 320.1   | -     | 320.1   |
| 15109405S          | 0100 WYTEX@6.12 52.00 BLK-502 LEVEL         | 422.8   | -     | 422.8   |
| 15129406S          | 0120 WYTEX@6.12 52.00 BLK-502 CR-6.50 A:022 | 325.8   | -     | 325.8   |
| 15129407S          | 0120 WYTEX@6.12 50.00 BLK-502 LEVEL         | 439.9   | 51.5  | 388.4   |
| 15140730S          | 0140 WYTEX@6.12 52.00 NAT-500 LEVEL         | 212.9   | -     | 212.9   |
| 15149408S          | 0140 WYTEX@6.12 52.00 BLK-502 LEVEL         | 209.4   | -     | 209.4   |
| 15149473S          | 0140 WYTEX@6.12 2.50 BLK-502 LEVEL          | -       | 54.5  | (54.5)  |
| 15150218S          | **OBS**0150 WYTEX@6.12 52.00 NATURAL LEVEL  | -       | -     | -       |
| 15160249S          | 0160 WYTEX@6.12 52.00 NATURAL CR-6.50 A:030 | -       | -     | -       |
| 15180409S          | 0180 WYTEX@6.12 52.00 NAT-519 CR-5.50 A:030 | 335.7   | 35.0  | 300.7   |
| 15189410S          | 0180 WYTEX@6.12 52.00 BLK-502 LEVEL         | 415.3   | -     | 415.3   |
| 15220029S          | 0220 WYTEX@6.12 52.00 NAT-500 CR-6.50/030   | 579.3   | -     | 579.3   |
| 15220558S          | 0220 WYTEX@6.12 48.00 NATURAL LEVEL         | 1,379.1 | -     | 1,379.1 |
| 15229411S          | 0220 WYTEX@6.12 52.00 BLK-502 LEVEL         | 337.7   | -     | 337.7   |
| 15250412S          | 0250 WYTEX@6.12 52.00 NATURAL CR-5.00 A:037 | 93.7    | -     | 93.7    |
| 15259820S          | 0250 WYTEX@6.12 50.00 BLK-502 LEVEL         | 214.6   | -     | 214.6   |
| 15280016S          | 0280 WYTEX@6.12 52.00 NATURAL LEVEL         | 226.7   | -     | 226.7   |
| 15289412S          | 0280 WYTEX@6.12 52.00 BLK-502 LEVEL         | 313.7   | -     | 313.7   |
| 15300999S          | 0300 WYTEX@6.12 48.00 NATURAL LEVEL         | -       | -     | -       |
| 15329047S          | 0320 WYTEX@6.12 52.00 BLK-502 LEVEL         | 239.3   | -     | 239.3   |
| TOTAL NYLON 6.12   |   | 7,677.2 | 141.0 | 7,536.2 |
| NON NEGATIVE TOTAL |   | 7,677.2 |       | 7,536.2 |

## Monahan Filaments Stock Status - Stock Items

| Item Number            | Item Description                           | Qty On Hand     | Qty Allocated | Qty Available   |
|------------------------|--|-----------------|---------------|-----------------|
| <b>850 SPECIAL</b>     |  |                 |               |                 |
| 11109006S              | 0100 CONDUCTIVE 52.00 BLK-502 LEVEL        | -               | 48.5          | (48.5)          |
| 11169413S              | 0160 CONDUCTIVE 48.00 BLK-502 LEVEL        | -               | -             | -               |
| 11209414S              | 0200 CONDUCTIVE 52.00 BLK-502 LEVEL        | -               | -             | -               |
|                        | TOTAL SPECIAL                              | -               | 48.5          | (48.5)          |
|                        | NON NEGATIVE TOTAL                         | -               |               | (48.5)          |
|                        | <b>TOTAL LOCATION 70</b>                   | <b>20,970.9</b> | <b>941.2</b>  | <b>20,029.7</b> |
|                        | <b>NON NEGATIVE TOTAL</b>                  | <b>20,970.9</b> |               | <b>20,029.7</b> |
| <b>72 BRUSH FIBERS</b> |  |                 |               |                 |
| <b>510 NYLON 6.6</b>   |  |                 |               |                 |
| 12089385S              | 0080 WYTEX@6.6 52.00 BLK-502 LEVEL         | -               | -             | -               |
| 13100937S              | 0100 WYTEX@6.6 52.00 NATURAL LEVEL FDA     | -               | -             | -               |
| 13229397S              | 0220 WYTEX@6.6 52.00 BLK-502 CR-6.50 A:034 | -               | -             | -               |
|                        | TOTAL NYLON 6.6                            | -               | -             | -               |
|                        | NON NEGATIVE TOTAL                         | -               |               | -               |
| <b>520 NYLON 6.12</b>  |  |                 |               |                 |
| 15289412S              | 0280 WYTEX@6.12 52.00 BLK-502 LEVEL        | -               | -             | -               |
|                        | TOTAL NYLON 6.12                           | -               | -             | -               |
|                        | NON NEGATIVE TOTAL                         | -               |               | -               |
|                        | <b>TOTAL LOCATION 72</b>                   | <b>-</b>        | <b>-</b>      | <b>-</b>        |
|                        | <b>NON NEGATIVE TOTAL</b>                  | <b>-</b>        |               | <b>-</b>        |